

GNSS is the Core Technology to Support GGOS Applications

Chris Rizos

President, IAG



International
Association of
Geodesy

A Constituent Association of the IUGG



... advancing geodesy ...



IAG Structure



International Union of Geodesy and Geophysics (IUGG)

Member of ICSU, 65 Member Countries, 8 Associations

International Association of Geodesy (IAG)

Council

Exec Committee

Bureau

Office

COB

Commission 1

Reference Frames

Commission 2

Gravity Field

Commission 3

Earth Rotation &
Geodynamics

Commission 4

Positioning &
Applications

Inter-Commission Committee on Theory (ICCT)

Services:

IERS

IGS

IGFS

BGI

ICET

BIPM

IAS

ILRS

IVS

IDS

ICGEM

IGeS

IDEMS

PSMSL

IBS


Global Geodetic Observing System (GGOS)

Global Geodetic Observing System

- GGOS links all components of the IAG, *e.g. Services, Commissions, ICCT, etc.*
- GGOS is the combined global geodetic infrastructure, *i.e. physical, IT & analysis components.*
- GGOS products include individual service products that have been “value-added”, *e.g. WHS, time series, etc.*
- GGOS will support long term geodesy goals, *e.g. stable reference frames.*
- GGOS seeks integrated modelling of all observations, *so as to improve geodetic parameter estimation for earth science.*
- GGOS will provide single “portal” for users, *i.e. a “one stop shop”.*



Global Geodetic Observing System



International Terrestrial Reference Frame (ITRFxx)

International Earth Rotation and Reference Systems Service (IERS)

Radio source positions, precise GNSS orbits and clocks, Earth orientation parameters (EOP), station coordinates and velocities


Very Long Baseline Interferometry (IVS)




Satellite Laser Ranging (ILRS)



Global Navigation Satellite Systems (IGS)



Doppler Orbit Determination and Radiopositioning Integrated on Satellite (IDS)




hina

International Terrestrial Reference System (ITRS)

- Realised and maintained by **ITRS Product Centre** of the IERS.
- Its realisation is the "International Terrestrial Reference Frame" (**ITRF**).
- Set of station positions and velocities, **estimated by combination** of VLBI, SLR, GPS and DORIS individual TRF solutions.
- **Based on Co-location sites.**

Adopted by IAG & IUGG in 1991 and 2007 for all Earth Science Applications




Available: ITRF88,..., 2000, 2005
Latest : ITRF2008
Coming: ITRF2013

<http://itrf.ign.fr>



Current Space Geodesy Networks for ITRF

VLBI




SLR



GNSS technology & IGS products crucial to
ITRF definition & to its **relevance**...
By virtue of ease-of-connection to it anywhere on
Earth using precise GNSS positioning techniques


SLR stations observed in 2011

GNSS/IGS



GPS/IGS stations observed in 2011

DORIS



DORIS stations observed in 2011



Illuminating the Earth With GNSS

Scientific Drivers – Extending the Reference Frame to Multiple Applications



IONOSPHERE

OCEANS

SOLID EARTH

ATMOSPHERE

High resolution 3D
ionospheric imaging

Earth rotation
Polar motion

Almost all GGOS scientific challenges require
high fidelity, long term, ultra-precise RF and
GNSS technology...

E.g. 4D GNSS positioning & atmospheric sounding
from terrestrial and satellite-borne receivers, taking
advantage of GGOS infrastructure...


Precise ion cal for
OD, SAR, altimetry

Precise global
reference frame

Tropospheric water
vapor distribution

Structure & evolution
of surface/atmosphere
boundary layer

Global Geodetic Observing System



Example of Complexity of Data & Missions: *Sea Level Change & Ice-Mass Balances*


Altimetry missions

Data processing

Gravimetry missions

Such complexity requires the coordination of several geodetic technologies & services...
integrated to generate “high level products” that science and society can directly use...

Ocean modelling



Sea-level change (mm/a)

Terrestrial networks




Tide gauge

GPS

Glacial-isostatic adjustment

Geodynamic modelling



Geoid change (mm/a)

Global Geodetic Observing System

- Vision: *continuous, synoptic, high-accuracy Earth Observing System that can monitor geometric & gravimetric effects in 4D.*
- The goal of GGOS: *improve the accuracy, resolution, reliability & timeliness of geodetic products by an order of magnitude by end of decade.*
- Operationalise “millimetre-geodesy” in order to monitor faint global change & geodetic signatures.
- Support centimetre-level Precise Positioning GNSS for geoscience & geospatial applications.
- **1mm accuracy Reference Frame, & stability of 0.1mm/yr.**
- GNSS is the key space geodesy technology to deliver GGOS’s vision.



Thank You!



**150th
Anniversary**

1862-2012